INDEX TO VOLUME 69

New names and combinations are designated by **bold face** type.

Abies amabilis 266; *balsamea* 647, 650–653; *grandis* 266–270, 273–275; *lasiocarpa* 266, 273; *nobilis* 273–275

Absidia glauca 502, 598–599, 612; *orchidis* 596, 598; *spinosa* 480, 488, 492, 498–502, 506–601, 612, 614

Abuta brevifolia 160; *candollei* 160; *columbiana* 159; *grandifolia* 159; *grisebachii* 159; *guyanensis* 160; *imene* 159; *obovata* 158; *rufescens* 159; *selloana* 159; *velutina* 159

Acacia melanoxylon, Culture of isolated roots of 130

Acalypha virginica 286

Acanthopappus sphaerocephalus 110; var. *hirtellus* 105

Acanthorhynchus vaccinii 257–260

Acer circinatum 266; *macrophyllum* 266; *pennsylvanicum* 650, 653, 656; *platanoides* 425; *rubrum* 425, 648–653; *saccharum* 422, 647, 650–653; *spicatum* 650–653

Achras zapota, Response in latex yield of to ibidem method of tapping 553–560

Achyronychia cooperi 108, 110

Acnida tamariscina 287

Aconitum noveboracensis 235–239; *transsectum* 236; *uncinatum* 235–239; *vulparia* 236

Acrocarpus humilis 297; *polyphyllus* 297

Actinomyces albus 21–26, 509; *annulatus* 257–260; *flavovirens* 257–260; *gougeroti* 257–260; *halstedii* 257–260; *madurae* 257–259; *viridochromogenus* 257–260, 569–571

Actinomycetes 21, 257, 569

Aesculus hippocastanum 425

Agar, Thiamine content of 11

Ageratum conyzoides 286

Agropyron cristatum 436; *junceum* 436; *repens* 436, 437; var. *glaucescens* 436; *spicatum* 434–437

Agrostis hiemalis 463; *longifolia* 463; *michauxii* var. *laxiflorum* 463; *serotina* 463; *sylvatica* 463; *virginica* 463

ALBRECHT, WM. A., AND R. A. SCHROEDER: Plant nutrition and the hydrogen ion—III. Soil calcium and the oxalate content of spinach 561

ALEXOPOULOS, CONST. J., AND J. ARTHUR HERRICK: Studies in antibiosis between bacteria and fungi—III. Inhibitory action of some Actinomycetes on various species of fungi in culture 257; Thiamine production by *Actinomyces viridochromogenus* 569

Alnus rubra 266

Alternaria solani 258, 259

Althaea rosea 338

Alyssum dentatum 469

Amaranthus deflexus 287

Ambrina ambrosioides 286

Ambrosia elatior 287; *trifida* 287

Amelanchier canadensis 650–653; *florida* 267

American Botanical Literature, Index to 65, 162, 249, 323, 400, 471, 544, 617, 692

Ammannia coccinea 287; *dentifera* 387, 395; *koehnei* 387, 395; *latifolia* 398

Ampelopsis arborea 287

Anacardiaceae, A new genus from Colombia 442

Analysis of the wood of the three commercial species of white pine 573

Ananas sativa 332

Anemone cylindrica 468; *nudicaulis* 385

Annual plants, dependence on shrubs 100

Anomospermum chloranthum 158; *reticulatum* 158; *schomburgkii* 158; *ulei* 160

Antennaria borealis 431; *isolepis* 431; *media* 431

Anthophytum pictum 332

Antibiosis 257

Aralia nudicaulis 655

Arbutus menziesii 267

Archilejeunea porelloides 631

Arcteranthus cooleyae 377

Arctostaphylos myrtifolia 137

Arracacia schneideri 151, 152; *vaginata* 152

Artemisia tridentata 434

Arundinaria tecta 286

Arundo coarctata 463

ASA GRAY'S earliest botanical publications 461

Asclepias syriaca 335, 339

Ascorbic acid in cowpea plants 204–218; 522–527

Ashbya gossypii 12

Aspergillus niger 12

Aspidium acrostichoides var. *incisum* 468; *spinulosum* var. *intermedium* 655

Aster abatus 104, 110; *infirmus* 655
Astragalus whitedii 434
Atriplex hymenelytra 110; *lentiformis* 109

Bacillus radicicola 11
BALDWIN, J. T., JR.: Cytogeography of *Oxydendrum arboreum* 134
Balmea 438; **stormeae** 438–441
Balsamorhiza sagittata 149, 434
BARKLEY, FRED A.: A new genus of the Anacardiaceae from Colombia 442
Basidiobolus ranarum 607
Batrachium aquatile 381; var; *caespitosum* 383; var. *capillaceum* 381; var. *flaccidum* 383; var. *pantothrix* 383; var. *trichophyllum* 381; *bakeri* 381, 383; *circinatum* 385; var. *terrestre* 385; *confervoides* 383; *eradicatum* 383; *grayanum* 384; *lobbii* 381; *pedunculare* 381, 382; *porteri* 381; *trichophyllum* 381; var. *caespitosum* 383
Bauhinia purpurea 132, 133
Beckwithia andersonii 379; *austinae* 379; *juniperina* 379
Begonia, Stem rot of 92; *dregei* 92; *lloydii* 93, 98, 99; *scharffiana* 335, 336; *schmidtiana* 335; *semperflorens* 92, 93, 98, 99; *socotrana* 92; *tuberhybrida* 92, 98
BENSON, LYMAN: North American Ranunculi—IV 298; V 373
Berchemia scandens 284–286
Bernardia fasciculata 454–456
Betula lutea 647, 650, 651, 653, 657; *papyrifera* 647, 650, 651, 653–659; *populifolia* 650–652
Bidens frondosa 287
Bignonia radicans 284, 286
BLAKESLEE, A. F., EVA R. SANSOME, AND S. SATINA: Disintegration of ovules in tetraploid-diploid and in incompatible species crosses in *Datura* 405
Blakeslea trispora 480, 495, 496, 500, 502, 506, 594, 601, 612
Boehmeria cylindrica 287
BONNER, JAMES: Culture of isolated roots of *Acacia melanoxylon* 130
Botanical literature, Index to American 65, 162, 249, 323, 400, 471, 544, 617, 692
Botrytis cinerea 94, 258, 259
Brachiomonas simplex 661
Bradburya unifoliata 387, 391
Bromus rubens 107, 108; *tectorum* 434
BROWN, WALTER: **Panicum bennettense**, a new species from North Carolina 539
Brunnichia cirrhosa 285, 287
Bryophyllum crenatum 333
BURKHOLDER, P. R., AND A. G. SNOW, JR.: Thiamine in some common American trees 421

Calamagrostis cinnoides 463; *coarctata* 463, 464; *expansa* 464
Calamovilfa longifolia 221
Calandrinia polyandra 455
Calendula officinalis 335, 336, 338
Calyptocarpus vialis 286
Calyptridium monandrum 107
Camellia japonica 421
CAMP, W. H.: Studies in the Ericales: A new name in blueberries 240
Campanula lasiocarpa 431, 432; *parryi* 241; var. **idahoensis** 241, 242; var. **parryi** 241, 243; *macdougalii* 243; *petiolata* 243; *rotundifolia* 243; *sacajaweana* 243
Capparis incana 389; **yucatanensis** 389
Carex blepharophora 467, 468; *chordorrhiza* 470; *communis* 465; *debilis* var. *rudgei* 655; *hitchcockiana* 470; *intumescens* var. *globularis* 467, 468; *laxiculmis* 465; *livida* 476; *oligocarpa* var. *latifolia* 465; *pensylvanica* var. *muhlenbergii* 465
Cassia itzana 390; **jalapensis** 391; **yucatanensis** 391
Castanopsis chrysophylla 267
Catalpa speciosa 7
Cattleya labiata var. *mossiae* 167
Caulanthus cooperi 102, 104, 108, 112, 113; *lasiophyllus* 103, 108, 113
Ceanothus americanus 469; *intermedius* 469; *ovalis* 469; *sanguineus* 267
Celtis mississippiensis 284, 285, 287; *petenensis* 387; *swartzii* 387; *trinervia* 387
Central America, undescribed plants from 387
Centrosema unifoliatum 391
Cephalocarpus 290; *clarkei* 291, 297; *comatus* 291, 297; **confertus** 293; *dracaenula* 290, 291, 293, 294; *humilis* 291, 297; **linearifolius** 293–295; *longibracteatus* 291, 293, 294, 296; *polyphyllus* 291, 297; *rigidus* 291, 293, 295, 296; var. **typicus** 293, 294, 296; var. **mucronatus** 293, 294, 296; *schenckianus* 297
Cephalomonas, a new genus of the Volvocales 661, 667; **granulata** 665, 668
Ceratostomella, Vitamin deficiencies of 184; *fimbriata* 185; *ips* 184–203; *montium* 185–203; *piceaperda* 185–203; *pini* 184–203; *pseudotsugae* 185–203; *ulmi*

185–203, 342–351; specificity of pyridoxine for 342
Cerothamnus ceriferus 284, 286
Chaenactis fremontii 107, 108, 112
Chamaecyparis nootkatensis 266
Chamaesyce humistrata 287
Chenopodium album 286
Chimaphila umbellata 655
Choanephora cucurbitarum 503
Chondodendron limaciifolium 156; *platiphyllum* 156; *polyanthum* 157; *tomentocarpum* 156; *tomentosum* 156; *toxicoferum* 156, 157
Chorizanthe brevicorne 108
Chromosome studies in *Sedum*, subgenus *Gormania*, section *Eugormania* 41
Chromosomes of *Aconitum* 235
Cirsium horridulum 286
CLAUSEN, ROBERT T.: Studies in the Crassulaceae—III. *Sedum*, subgenus *Gormania*, section *Eugormania* 27
Clintonia borealis 655
Coldenia canescens 542
Coletotrichum gloeosporioides 257, 260
Collomia rawsoniana 137
CONSTANCE, LINCOLN, AND MILDRED E. MATHIAS: New combinations and new names in the Umbelliferae 244; new North American Umbelliferae 151
COOPER, WILLIAM S.: An isolated colony of plants on a glacier-clad mountain 429
Coptidium lapponicum 385
Coptis trifoliata 655
Cornus alba 586; var. *angustipetala* 587; var. *behnschi* 587; var. *coloradensis* 587; var. *elata* 587; var. *elongata* 587; var. *nitida* 587; var. *splendens* 587; subsp. *baileyi* 588; subsp. *stolonifera* 587; *alternifolia* 654; *amomum* 584–586, 588; *baileyi* 583, 586, 588; *californica* 583, 586, 589; var. *nevadensis* 89; *canadensis* 655, 657, 658; *florida* 425, 426; *hessei* 586; *instolonea* 583, 587; *interior* 583, 586, 588; *nelsoni* 583, 587, 588; *occidentalis* 267, 583, 586, 589; *pubescens* 583, 589; var. *californica* 589; *purshii* 587; *sericea* 583–587; subsp. **occidentalis** 589; var. **occidentalis** 589; f. **californica** 589; f. **occidentalis** 589; subsp. **stolonifera** 587; f. **baileyi** 588; f. **californica** 589; f. **interior** 588; f. **stolonifera** 587; *stolonifera* 583–587; var. *angustipetala* 587; var. *baileyi* 588; var. *behnschi* 587; var. *californica* 589; var. *coloradensis* 587; var. *elata* 587; var. *elongata* 589; var. *flaviramea* 587; var. *interior* 588; var. *nitida* 587; var. *riparia* 587
Cortinarius aggregatus 45, 47, 57, 58; *albidifolius* 59; *albidus* 45, 48; *aleuriosmus* 48, 51; *allutus* 55; **amnicola** 45, 46, 48, 49; **arenicola** 45, 46, 48–50; *armillatus* 62, 63; *arquatus* 45, 46; *atkinsonianus* 45–47, 54; *boudieri* 45, 46, 51; *caerulescens* 45, 46, 50, 52, 54; *caesiocyaneus* 45, 46, 54; *calochrous* 45, 46, 48, 49; *calyptratus* 45, 46, 52; **calyptrodermus** 45, 46, 51–54; *cedretorum* 45, 46, 47; *citronellus* 45, 47; **citrinipedes** 45, 46, 54, 56; *claricolor* 58, 60; *corrugatus* 45, 46, 47, 57; *dibaphus* 50; *dionysae* 50; *elegantioides* 45, 47; *elegantior* 45, 47; *fulgens* 44, 45, 47; *fulmineus* var. *sulphureus* 45, 47; **fumosifolius** 60, 63, 64; *glaucopoides* 45, 47; *glaucopus* 45, 47, 55, 58; *haematochelis* 62; *herpeticus* 45, 47; *intrusus* 45, 47; *lilacinopes* 45, 46; *lustratus* 59; **luteoarmillatus** 59; *metarius* 45, 46; *michiganensis* 45, 47, 54; *montanus* 45, 47; *multiformis* 45, 48; *nappus* 57; *nemorosus* 50; *obliquus* 60, 61; *occidentalis* 45; *olivaceostramineus* 45, 47; *olympianus* 45, 47, 50; *orichalceus* 45, 47; *paragaudis* 63; *parksianus* 45, 46; *praestans* 52; *prasinus* 45, 47; *purpurascens* 45, 46; *purpureophyllus* 45, 46, 51; *rickenianus* 51; *rubens* 45, 47; *scaurus* 45, 47; *sebaceus* 59; *sodagnitus* 50; *sphaerospermus* 45; **squalidus** 45, 47, 55, 56; *subfulmineus* 44; *subglaucopus* 44; *sublateritius* 45, 48; *subpurpurascens* 45; *subpurpureophyllus* 45, 46; *subsolitarius* 45, 47, 56–58; *subtestaceus* 61–63; *triumphans* 59; *velicopia* 45, 46, 55; *veregregius* 63; *virentophyllus* 45, 47; *volvatus* 45, 47
Corylus californica 267; *rostrata* 654
Cotyledon brittoniana 37; *burnhamii* 31; *glandulifera* 33, 40; *mendocinoana* 39; *obtusata* 31; *oregonensis* 28; *retusa* 39; *yosemitensis* 31
Couma guatemalensis 557
Cowpea, Ascorbic acid in 204–218, 522–527
Crassulaceae, Studies in 27
Crataeva glauca 389; *gynandra* 390; *tapia* 390
Crataegus douglasii 267
CROIZAT, LEON: New and critical Euphorbiaceae, chiefly from the southeastern United States 445

Croton albinoides 447–451; *andinus* 448; *berlandieri* 451; *californicus* 446; *capitatus* 286, 447–451; *coryi* 446, 457; *elliottii* 448; *engelmannii* 447–450; var. *albinoides* 447, 448; *gracilis* 446; *jucundus* 452; *lindheimeri* 447–451; *luteovirens* 446; *muelleri* 448, 449; *muricatus* 446; *neomexicanus* 446; *parksii* 445–447, 457; *pedicellatus* 448; *punctatus* 446, 448; *subjucundus* 451, 457; *soliman* 452; *sonorae* 452; *tenuilobus* 448; *texensis* 446
Cryptangium comatum 297; *dracaenula* 290, 294; *schenckianum* 297; *strictum* 290, 291, 297
Cryptanthe micrantha 108
Culture of isolated roots of *Acacia melanoxylon* 130
CURTIS, JOHN T., AND ROBERT E. DUNCAN, Intermittent growth of fruits of *Cypripedium* and *Paphiopedilum*. A correlation of the growth of orchid fruits with their internal development 353; Intermittent growth of fruits of *Phalaenopsis*. A correlation of the growth phases of an orchid fruit with internal development 167
Cuscuta deltoidea 543; *gracillima* 543; *lacerata* 543; **runyonii** 541; *salina* var. **papillata** 543; **serruloba** 542
CUTTER, VICTOR M., JR.: Nuclear behavior in the Mucorales—I. The *Mucor* pattern 480; II. The *Rhizopus, Phycomyces,* and *Sporodinia* patterns 592
Cusickia minor 246
Cymopterus anisatus 248
Cynapium bigelovii 246
Cynoctonum mitreola 286
Cynodon dactylon 287
Cyperus erythrorhizos 287; *esculentus* 286, 287, 289; *filicinus microdontus* 287; *grayii* 464; *inflexus* 287; *mariscoides* var. *setifolius* 464; *virens drummondii* 287
Cypripedium andrewsii 354, 356; *barbatum* 353; *calceolus* 353, 354; *parviflorum* 353; *pubescens* 354–357; *punctatum* 353; *reginae* 354, 355; *veitchianum* 353
Cyrtorhynchus cymbalaria 375; *neglectus* 376; *nuttallii* 377; *ranunculina* 376, 377; *rupestris* 376, 377
Cystoseira osmundacea 533
Cytogeography of *Oxydendrum arboreum* 134

Dalea schottii 103, 104
Dalibarda repens 655
Daphne odora 421
Datura ceratocaula 416, 418, 419; *metel* 416, 418, 419; *stramonium* 405–420
DAY, DOROTHY: Thiamine content of agar 11
Delphinium, The genus in North America 137–150; *amabile pallidum* 143; **bakeri** 144, 145; *bicolor* 146; *burkei* 147, 148; subsp. **distichiflorum** 149; **caprorum** 145, 146; *geyeri* 150; *glareosum* 146; *glaucum* 147; *greenei* 147; *hanseni* 137, 138, 141–143; *hanseni arcuatum* 139–142; *hanseni* **hanseni** 140–142; *hanseni kernense* 139, 143; *hesperium* 137, 138, 140; *megacarpum* 150; *nudicaule* 146; *nudicaule* f. **elatum** 146; *occidentale* 147; *parishii* 105, 109, 110, 113; *parryi* var. *montanum* 147; *patens* subsp. **greenei** 147; subsp. **montanum** 147; *purpusi* 137, 142; *scopulorum* 147, 148; *simplex* 147, 148; *simplex* var. *distichiflorum* 149; *trollifolium* 144; **umatillense** 149, 150; *variegatum* 138, 141
Dendrobium nobile 167
Dendroctonus brevicomis 185; *frontalis* 184; *monticolae* 185; *piceaperda* 185; *pseudotsugae* 185
DENSLOW, HERBERT MCKENZIE 479
Dependence of certain annual plants on shrubs in southern California deserts 100
Development of sporelings in the Lejeuneaceae 627
Diervilla lonicera 317–322; var. *hypomalaca* 318–322
Digitaria sanguinalis 286
Diodia virginiana 286
Diospyros virginiana 284
Disintegration of ovules in tetraploid-diploid and in incompatible species crosses in *Datura* 405
DODGE, B. O.: Heterocaryotic vigor in *Neurospora* 75
Draba arabizans 469; *dentata* 469; *glabriuscula* 468, 469; *incana* 468; *ramosissima* 469
Dracocephalum parviflorum 469
Dracopus amplexicaulis 286
Dudleya californica 333
DUNCAN, ROBERT E., AND JOHN T. CURTIS: Intermittent growth of fruits of *Cypripedium* and *Paphiopedilum*. A correlation of the growth of orchid fruits with their internal development 353; Intermittent growth of fruits of *Phalaenopsis*. A correlation of the growth phases of an orchid fruit with internal development 167

Dussia coriacea 590; *cuscatlantica* 591; *sanguinea* 591

Echeveria brittonii 31; *eximia* 334, 335, 338; *gormannii* 37; *hallii* 31; *obtusata* 31; *watsonii* 35
Echinochloa colona 287; *crus-galli mitis* 286; *walteri* 287
Effect of *Actinomyces albus* and of thiamine on the growth of *Trichophyton discoides* 21
Effect of variations in light intensity, length of photoperiod, and availability of nitrogen upon accumulation of ascorbic acid in cowpea plants 204
Elissarhena grandifolia 160
Ellisia micrantha 111
Elongation of primary roots of *Vicia faba* 221
Elymus condensatus 434
Embryo of *Hordeum sativum* 360
Emmenanthe penduliflora 103, 107
Encelia farinosa 103, 104, 106, 107
Ephedra nevadensis 104, 105
Epilobium angustifolium 335, 337–339; *latifolium* 430, 432
Equisetum robustum 287
Eragrostis hypnoides 286, 287; *pectinacea* 286, 287; *spectabilis* 286
Erigeron canadense 286, 542
Eriogonum reniforme 108
Eriophorum polystachyon var. *tenellum* 464; *tenellum* 464
Erodium cicutarium 111
Erythronium americanum 339
Eschscholtzia minutiflora 103
Establishment of a white birch community on cutover pulpwood land in northwestern Maine 647
Eugenia balancanensis 396; *cocquericotensis* 397; **itzana** 395; **leptopa** 396; *lundellii* 396; **ovatifolia** 396; **petenensis** 397
Eupatorium capillifolium 287
Euphorbia escula 449; *polycarpa* 111; var. *hirtella* 107, 108; *portulacoides* 449; *splendens* 335
Euphorbiaceae, New and critical, chiefly from the southeastern United States 445
Eurotia lanata 105, 110
Eutetracoccus 456, 458
EWAN, JOSEPH: The genus *Delphinium* in North America: series *Echinatae* of subsection *Subscaposa* and miscellaneous noteworthy species 137
Fagus grandifolia 647, 650, 651, 653; *sylvatica* 204, 425
FASSETT, NORMAN C.: Mass collections: *Diervilla lonicera* 317
Ferula californica 246; *dissoluta* 246; *purpurea* 246
Festuca pratensis 465
Ficaria ficaria 286; *glacialis* 378; *ranunculoides* 386; *verna* 386
Filago arizonica 107
Fimbristylis autumnalis 287; *diphylla* 286; *vahlii* 287
Flueggea virosa 458
Flowers, rooting of 332
Fomes fraxinophilus 258–260
Forsythia suspensa 335, 338
FOSBERG, F. R.: *Cornus sericea* L. (*C. stolonifera* Michx.) 583
Fragaria virginiana 655
Franseria dumosa 103, 104, 106, 110
Fraxinus americana 287, 651, 656; *excelsior* 205; *oregana* 266
Freesia refracta 335, 336, 338
Fruits, growth of 167, 353
Frullania dilatata 629
FULFORD, MARGARET: Development of sporelings in the Lejeuneaceae 627
Furcraea pubescens 332

Galax aphylla 136
Gaultheria procumbens 655
Gelidium caloglossoides 534, 357
Genus *Cephalocarpus* Nees (Cyperaceae) 290
Genus *Delphinium* in North America: series *Echinatae* of subsection *Subscaposa* and miscellaneous noteworthy species 137
Geraea canescens 110
GILLY, CHARLES L.: The genus *Cephalocarpus* Nees (Cyperaceae) 290
GILLY, C. L., AND H. W. RICKETT: Asa Gray's earliest botanical publications (1833–1836) 461
Githopsis pulchella 137
Gleditsia triacanthos 284
Gormania anomala 27, 28; *burnhami* 31; *debilis* 27; *eastwoodiae* 39; *glandulifera* 33; *hallii* 31; *laxa* 37; *obtusata* 31; *oregana* 27; *retusa* 39; *watsoniana* 35, 36
Grayia spinosa 104, 105
Glomerella cingulata 257–259
GRAY'S earliest botanical publications 461
Growth of orchid fruits 167, 353

Habenaria hookeri 468; *orbiculata* 469
Halerpestes cymbalaria 375
Halliophytum 464; *fasciculatum* 454, 455
HANSEN, HENRY P.: A pollen study of lake sediments in the lower Willamette valley of western Oregon 262
Hapalospongidion gelatinosum 528–532; **pangoensis** 532
HARPER, ROBERT ALMER 331
Helianthus annuus, 335, 336
Heliotropium inundatum 287
HERRICK, J. ARTHUR, AND CONST. J. ALEXOPOULOS: Studies in antibiosis between bacteria and fungi—III. Inhibitory action of some Actinomycetes on various species of fungi in culture 257; thiamine production by *Actinomyces viridochromogenus* 569
Heterocaryotic vigor in *Neurospora* 75
Hevea brasiliensis 553–560
Hibiscus rosa-sinensis 338
Hicoria pecan 284, 285
Hieracium gracile var. *minimum* 431
HIGINBOTHAM, NOE: *Cephalomonas*, a new genus of the Volvocales 661
Hilaria rigida 103
Holcus halepensis 287
HOLLENBERG, GEORGE J.: Phycological notes—I 528
HOLLINGSHEAD, LILLIAN: Chromosome studies in *Sedum*, subspecies *Gormania*, section *Eugormania* 41
Hordeum sativum 360–372
HOWARD, JULIAN A., AND WM. T. PENFOUND: Vegetational studies in areas of sedimentation in the Bonnet Carré floodway 281
HULBARY, ROBERT L., AND EDWIN B. MATZKE: An analysis of the wood of the three commercial species of white pine 573
Hydrocotyle bowlesioides 151; *torresiana* 151
Hydrogen ion 561
Hymenoclea salsola 103, 105, 107
Hypericum matudai 394
Hyptis emoryi 103, 107

Ilex decidua 285
Ilysanthes inaequalis 287
Impatiens balsamina 335, 336, 338
Index to American Botanical Literature 65, 162, 249, 323, 400, 471, 544, 617, 692
Interaction between thiamine and four fungi 669
Intermittent growth of fruits of *Cypripedium* and *Paphiopedilum*. A correlation of the growth of orchid fruits with their internal development 353
Intermittent growth of fruits of *Phalaenopsis*. A correlation of the growth phases of an orchid fruit with internal development 167
Ipomoea lacunosa 287
Ips avulsus 184; *integer* 184
Isolated colony of plants on a glacier-clad mountain 429
Isolated roots, culture of 130
Iva ciliata 287

Janipha loeflingii 452, 453; var. *yuquilla* 453; *yuquilla* 453
Jasminum fruticosum 336, 339
Juglans nigra 119
Juncus diffusissimus 287
Juniperus occidentalis 149
Jussiaea decurrens 287; *leptocarpa* 287

Kalanchoë globulifera 334, 338; *rotundifolia* 338
KARLING, JOHN S.: The response of *Achras zapota* in latex yield to wounding by the ibidem method of tapping 553
KAVANAGH, FREDERICK: The interaction between thiamine and four fungi 669
KERSTEN, H., AND G. F. SMITH: The relation between xylem thickenings in primary roots of *Vicia faba* seedlings and elongation, as shown by soft X-ray irradiation 221
Krameria canescens 103, 105
KRUKOFF, B. A., AND H. N. MOLDENKE: Supplementary notes on American Menispermaceae 156
Kumlienia cooleyae 377; *hystricula* 377

Lactobacillus lactis 349
Lagenocarpus clarkei 290, 297; *comatus* 290, 297; *dracaenula* 294; *humilis* 290, 297; *polyphyllus* 290, 297; *schenckianus* 291, 297; *strictus* 297
Lamium album 522
Langloisia schottii 107, 111
Larrea tridentata 103, 104, 105, 110
LA RUE, CARL D.: The rooting of flowers in sterile culture 332
Latex 553
Lathyrus palustris 469
Lejeunea cavifolia 631
Lejeuneaceae 627

Lepidium fremontii 105; *lasiocarpum* 108
Leptotaenia anomala 244–246; *bradshawii* 244–246; *californica* 244–246; var. *dilatata* 246; var. *platycarpa* 246; *dissecta* 244–246; *dissecta foliosa* 246; var. *multifida* 245, 246; *eatoni* 246; *foliosa* 246; *humilis* 246; var. *denticulata* 246; *leibergii* 244, 245; *macrocarpum* 244; *minor* 244–246; *multifida* 246; var. *eatoni* 246; *purpurea* 245, 246; *salmoniflora* 244–246; *suksdorfii* 244; var. *thompsonii* 244; *triternatum* 244; *watsonii* 244–246
Leptilon canadense 287
Leptochloa panicoides 287; *uninerve* 287
Leucospora multifida 287
Light intensity, effect of 204
Ligusticella eastwoodae 247; *macounii* 247
Ligusticum eastwoodae 247; *macounii* 247
Lilium speciosum 333
Literature, Index to American botanical 65, 162, 249, 323, 400, 471, 544, 617, 692
Loiseleuria procumbens 433
Lomatium anomalum 246; **bradshawii** 246; **californicum** 246; *caruifolium* 154, 245; var. *denticulatum* 246; *ciliolatum* var. **hooveri** 153; **columbianum** 246; **cuspidatum** 246; **dissectum** 246; var. **multifidum** 246; *farinosum* 153; *grayi* 245; **hamblenae** 153; **humile** 246; *leptocarpum* 245; *marginatum* 154, 245; **minus** 246; *nevadense* 155; **peckianum** 155; *purpureum* 246; **salmoniflorum** 246; *sandbergii* 155; **tracyi** 154
Lonchocarpus xuul 391, 392; *constrictus* 392
LONGACRE, DOROTHY J.: Somatic chromosomes of *Aconitum noveboracensis* and *A. uncinatum* 235
Lopholejeunea sagraeana 627, 629, 630, 632
Lophosiphonia villum 531, 535–537
Lotus tomentellus 107, 108
Ludwigia glandulosa 287
LUNDELL, C. L.: Undescribed plants from Mexico and Central America 387
Lupinus nootkatensis 429, 430, 432
Lutkea pectinata 429, 430, 432
Lycium andersonii 104, 105
Lycopodium clavatum 655; *complanatum* 655; *obscurum* 655; *selago* 430, 432
Lysimachia lanceolata 304
Lythrum lanceolatum 287

MA, ROBERTA, AND WILLIAM J. ROBBINS: Specificity of pyridoxine for *Ceratostomella ulmi* 342; Vitamin deficiencies of *Ceratostomella* 184
MA, ROBERTA, WILLIAM J. ROBBINS, AND JUAN E. MACKINNON: Vitamin deficiencies of *Trichophyton discoides* 509
MACKINNON, JUAN E.: The effect of *Actinomyces albus* and of thiamine on the growth of *Trichophyton discoides* 21
MACKINNON, JUAN E., WILLIAM J. ROBBINS, AND ROBERTA MA: Vitamin deficiencies of *Trichophyton discoides* 509
Maianthemum canadense 655, 657, 658
Malacothrix californica 103, 107, 113
Manihot carthagenensis 452, 453; **walkerae** 452, 453, 457
Marruta cotula 287
MARTÍNEZ, MAXIMINO: A new genus of Rubiaceae from Mexico 438
Mass collections: *Diervilla lonicera* 317
Matelea stenosepala 398
MATHIAS, MILDRED E., AND LINCOLN CONSTANCE: New combinations and new names in the Umbelliferae 244; New North American Umbelliferae 151
MATZKE, EDWIN B., AND ROBERT L. HULBARY: An analysis of the wood of the three commercial species of white pine 573
MCVAUGH, ROGERS: A new *Campanula* from Idaho 241
Medicago falcata 416; *lupulina* 287; *sativa* 416
Melanospora destruens 11
Menispermaceae, Supplementary notes on American 156
MERRY, JAMES: Studies on the embryo of *Hordeum sativum*—II. The growth of the embryo in culture 360
Mesospora mediterranea 531; *schmidtii* 531; *van-bossae* 531
Mexico, new plants from 387, 438
Microspongium gelatinosum 528; *saundersii* 528
Microstylis brachypodi 468, 469
MIDDLETON, JOHN T.: Stem rot of tuberous begonia 92
Mikania scandens 287
Mimosa strigillosa 287
Mimulus bigelovii 107; *cylindrica* 287
Mirabilis bigelovii 103, 105
MOLDENKE, H. N., AND B. A. KRUKOFF: Supplementary notes on American Menispermaceae 156
Mollugo verticillata 286, 287
Monoptilon bellioides 107, 108
Mucor fragilis 487, 604; *genevensis* 480, 487, 488, 491–495, 499–503, 506, 594, 595, 601, 610, 612; *hiemalis* 480, 487, 491, 492, 499, 508, 612; *ramannianus*

671, 672, 681–684, 687, 689, 690; *spinescens* 490, 491, 596; *sylvaticus* 487
Mucorales, Nuclear behavior in 480, 592
Muhlenbergia schreberi 287; *sylvatica* 462, 463; *umbrosa* 463
Myrica californica 267

Nama demissum 107, 110; *hispidum* 542
Nasturtium natans var. *americanum* 468, 469
Neea choriophylla 388; **hirtella** 388
Nemesia strumosa 334, 335, 336
Nemocladus longiflorus 107; *ramosissimus* 107
Nerium oleander 335, 336
Neurospora, Heterocaryotic vigor in 75; *crassa* 89; *tetrasperma* 75–91
New and critical Euphorbiaceae, chiefly from the southeastern United States 445
New and unusual *Cortinarii* from Michigan, with a key to the North American species of subgenus *Bulbopodium* 44
New *Campanula* from Idaho 241
New combinations and new names in the Umbelliferae—II 244
New *Dussia* and *Ormosia avilensis* 590
New genus of Rubiaceae from Mexico 438
New genus of the Anacardiaceae from Colombia 442
New North American Umbelliferae 151
New tetraploid wheatgrass from Nevada 434
Nitrogen, effect of, upon ascorbic acid accumulation 204
North American Ranunculi—IV 298; V 373
Nuclear behavior in the Mucorales—I. The *Mucor* pattern 480; II. The *Rhizopus*, *Phycomyces*, and *Sporodinia* patterns 592

Oakesia sessilifolia 655
Oaks indigenous to the United States, Secondary vascular tissues of 1, 115
Ochoterenaea 442; **colombiana** 442–444
Ocotea matudai 388
Oenothera biennis 287; *leptocarpa* 107; *micrantha* var. *exfoliata* 107
Oncidium longipes 168
OOSTING, HENRY J., AND JOHN F. REED: The establishment of a white birch community on cutover pulpwood land in northwestern Maine 647
Opuntia echinocarpa 104–106
Orchid fruits 167, 353
Orchis mascula 167; *pyramidalis* 167
Ormosia avilensis 590; *tovarensis* 590
Orumbella macounii 247
Oryzopsis canadensis 465
Osmaronia cerasiformis 267
Osmunda claytoniana 655
Ossea instolonea 587; *interior* 588
Ovules, disintegration of 405
Oxydendrum arboreum 134–136
Oxygraphis andersonii 379; *cymbalaria* 375; *glacialis* 378; *vulgaris* 379
Oxypolis filiformis 152; **greenmanii** 152

Panicum angustifolium 464, 465, 539, 540; **bennettense**, a new species from North Carolina 539; *capillare* 285–288; *clandestinum* 464; *dichotomiflorum* 285–289; *lancearium* 464; var. *angustifolium* 464; *nitidum* var. *crassifolium* 464; var. *villosum* 464; *sphaerocarpon* 464; *xanthophysum* 464, 465, 469
Paphiopedilum bellatulum 354–356; *barbatum* 353; *callosum* var. *sanderae* 354; *superbiens* 353; *fairieanum* 354–357; *lawrenceanum* var. *hyeanum* 354; *maudiae* 354–357; *villosum* 354, 356
Parasitella simplex 480, 492, 612
Parthenium argentatum 132
Paspalum conjugatum 287; *dilatatum* 287; *repens* 287; *urvillei* 287
Passiflora biflora 338
Pelagophycus porra 533
PENFOUND, WM. T., AND JULIAN A. HOWARD: Vegetational studies in areas of sedimentation in the Bonnet Carré floodway 281
Penicillium glaucum 669
Persicaria hydropiper 287; *hydropiperoides* 287; *punctata* 287
Petalostigma glabrescens 458–460
Peucedanum californicum 246; *watsoni* 246
Phacelia distans 103, 105–107, 109, 111, 113; *tanacetifolia* 104, 109, 111, 113
Phalaenopsis amabilis 169; *aphrodite* 169, 176; *elizabethiae* 169; *equestris* 168; *fontainebleau* 169, 171–173, 175; *grandiflora* 168; *pamala* 169, 171–176; *rimstadtiana* 169; *schilleriana* 168–175, 178, 358; *sanderiana* 168; *spectabilis* 168; *stuartiana* 169; *wiganiae* 169
Phaseolus multiflorus 360
Philadelphus gordonianus 267
Phoma betae 257–259
Photoperiod 204
Phycological notes 528

Phycomyces blakesleeanus 12–26, 257–259, 421–427, 500, 502, 570, 571, 592, 599, 604, 612, 614, 669–690; *microsporus* 592, 604, 612; *nitens* 599, 600, 669
Phyla lanceolata 287; *nudiflora* 287
Phyllanthus carolinensis 287
Phyllodoce glanduliflora 430, 432
Phytophthora cinnamomi 510, 671–679, 687, 688, 690
Picea engelmanni 265; *glauca* 185; *rubens* 647, 650, 651, 653; *rubra* 119; *sitchensis* 265, 268–270, 273–275
PIERCE, JOHN H.: A new *Dussia* and *Ormosia avilensis* 590
Pilanophytum lindheimeri 447
Pilobolus crystallinus 599
Pithecolobium pulchellum 590
Plant nutrition and the hydrogen ion—III. Soil calcium and the oxalate content of spinach 561
Pinus albicaulis 266; *contorta* 266, 273–275; *echinata* 184, 193; *lambertiana* 573–581; *monticola* 185, 266, 273–275, 573–581; *ponderosa* 184, 185, 266, 273–275; *sabiniana* 138; *strobus* 573–581
Plantago insularis var. *scariosa* 11
Platanus occidentalis 285, 287, 425
Pluchea petiolata 287
Podadenia thwaitesii 454
Podistera **eastwoodae** 247; **macounii** 247; *nevadensis* 247
Poinciana gilesii 132
Polemonium humile 430, 432
Pollen study of lake sediments in the lower Willamette valley of western Oregon 262
Polyporus abietinus 11; *adustus* 11
Polypremum procumbens 287
Polysiphonia hemisphaerica 536; *urceolata* 536; *villum* 535; *virgata* 533; *woodii* 533, 534
Pontederia cordata 287
Populus balsamifera 287; *grandidentata* 651, 653; *tremuloides* 650–653, 656; *trichocarpa* 266
Portulaca oleracea 287
Potentilla elata 145
Prionociadium pringlei 247; *thapsoides* var. **pringlei** 247
Prunus emarginata 267; *pennsylvanica* 650–652, 656; *serotina* 651
Pseudocymopterus aletifolius 248; *anisatus* 248; var. *longilobus* 248; *davidsoni* 248; *filicinus* 248; *hendersoni* 248
Pseudopteryxia aletifolia 248; *anisata* 248; *hendersoni* 248; *longiloba* 248
Pseudotsuga taxifolia 266, 268–270, 273–275
Pteris aquilina 655, 657
Pterochondria 532; **pygmaea** 532, 533; **woodii** 533
Pterosiphonia dendroidea 533; *pygmaea* 533; *woodii* 533; *f. pygmaea* 533
Pteryxia anisata 248; **davidsoni** 248; **hendersoni** 248
Purshia tridentata 434
Pyridoxine 184, 342; Specificity of for *Ceratostomella ulmi* 342
Pyrimidine 669–691
Pyrola americana 655
Pythium debaryanum 92, 93; var. *pelargonii* 92; *intermedium* 92, 94–98; *splendens* 92, 93; *ultimum* 92–99

Quercus agrifolia 4, 6, 120; *alba* 2, 4, 7, 120–125, 422, 425, 426; *arizonica* 2, 4, 6, 7, 120–124; *bicolor* 2, 4, 6, 7, 10, 120, 122, 123; *borealis maxima* 6, 120; *breweri* 4, 120; *catesbaei* 120; *chrysolepis* 4, 6, 120, 122; *cinerea* 4, 6, 7, 10, 120; *coccinea* 6, 7, 120; *dilata* 7; *douglasii* 4, 6, 120; *dumosa* 4, 6, 120, 123; *durandii* 4, 120; *durata* 6; *ellipsoidalis* 4, 6, 7, 10, 120; *emoryi* 2, 4–7, 120, 124, 125; *engelmanii* 4, 6, 7, 120; *falcata* 120; *falcata leucophylla* 120; *falcata triloba* 120; *gambellii* 4; *garryana* 4, 120, 266, 268–270, 273–275; *hypoleuca* 4, 6, 120; *ilicifolia* 6, 120; *imbricaria* 6, 120, 124–127; *kelloggii* 4, 6, 7, 10, 120; *laurifolia* 6, 120; *lobata* 4, 120; *lyrata* 4, 120, 122; *macrocarpa* 4, 120; *marilandica* 4, 6, 7, 10, 120; *montana* 2, 4, 7, 10, 123; *morehus* 6, 120; *muhlenbergii* 2, 4, 120; *myrtifolia* 4, 5, 6, 120; *nigra* 6, 120, 425; *oblongifolia* 4, 6, 120; *palustris* 6, 120, 124–125; *phellos* 6, 120, 122; *prinus* 2, 4, 5, 120, 124, 125; *reticulata* 4, 6, 120; *rubra* 6; *rubra leucophylla* 6; *rubra triloba* 6; *sadleriana* 2, 4, 115, 120; *shumardii* 6, 120; *stellata* 2, 4, 5, 7, 123, 126, 127; *utahensis* 4, 120; *vaccinifolia* 6, 120; *velutina* 5–7, 120, 124, 125; *virginiana* 6, 120, 126, 127, 284, 285; *virginiana geminata* 6, 120, 123–125; *wislizenii* 4, 6, 120

Radicula aquatica 335, 339; *armoracia* 335
Rafinesquia neomexicana 103–107, 109, 111, 113
Raimmania laciniata 287

Ralfsia pangoensis 532
Ranunculi, North American 298, 373
Ranunculus alismaefolius 298–303; var. *alismellus* 301, 302; var. *calthaeflorus* 302; var. *hartwegii* 302, 310; var. *lemmoni* 298–302; var. *montanus* 301–303; *alismellus* 301; var. *populago* 303; *alveolatus* 299, 310, 373; *ambigens* 298, 308, 309; var. *obtusiusculus* 309; *amphibius* 381–385; *andersonii* 379; var. *tenellus* 379; *aquatilis* 380–384; var. *bakeri* 381; var. *brachypus* 381; var. *calvescens* 381, 384; var. *capillaceus* 381, 385; var. *confervoides* 383; var. *drouetii* 383; var. *eradicatus* 381, 383; var. *flaccidus* 383; var. *heterophyllus* 384; var. *hispidulus* 381, 384; var. *lobbii* 381; var. *longirostris* 385; var. *pedunculatus* 381; var. *trichophyllus* 381; *arizonicus* 300; *arnoglossus* 301; *biolettii* 309; *bolanderi* 300, 303; *caespitosus* 383; *calthaeflorus* 302, 303; *capillaceus* 381, 382; *cardiophyllus* 400; *chamissonis* 379; *circinatus* 380, 383, 385; **collomae** 298–300; *confervoides* 383, 384; *cooleyae* 377; *cusickii* 308; *cymbalaria* 375; var. *alpinus* 376; var. *americanus* 375; var. *hebecaulis* 375; var. *major* 375; var. *saximontanus* 375; *delphinifolius* 316; var. *terrestris* 315; f. *submersus* 316; *divaricatus* 383, 385; var. *eradicatus* 383; *drouetii* 383; *eastwoodianus* 374; *eremogenes* 312, 313; var. *longissimus* 313; var. *pilosulus* 312, 313; var. *pubescens* 312; *ficaria* 386; *filiformis* 306; var. *ovalis* 305; *fistulosus* 313; *flabellaris* 311, 315, 316; f. *riparius* 316; f. *submersus* 316; f. *terrestris* 316; *flaccidus* 383; var. *confervoides* 383; *flammula* 298, 304; *flammula alismaefolius* 300, 301; *flammula* var. *filiformis* 305, 306; var. *intermedia* 306; var. *laxicaulis* 308; var. *major* 304; var. *ovalis* 305; var. *reptans* 306; var. **samolifolius** 306; var. *strigulosus* 305; var. *unalaschensis* 305; var. *varians* 305; *fluviatilis* 315, 316; *glaberrimus* 300; var. *ellipticus* 300; *glacialis* 378, 379; *gmelinii* 311; var. *limosus* 313; var. *prolificus* 314; var. *purshii* 313; var. **schizanthus** 315; var. **terrestris** 313; var. **yukonensis** 314; *gormanii* 299, 307, 308; *grayanus* 384; *hartwegii* 301, 303; *hederaceus* 380; var. *lobbii* 381; *humilis* 309, 310; *hydrocharis* f. *lobbii* 380; f. *longirostris* 385; f. *trichophyllus* 381; *hydrocharoides* 299, 307; var. *stoloniferus* 307; *hyperboreus* 311; f. *fluitans* 311; var. *natans* 311; *hystriculus* 377; *intermedius* 306; *intertextus* 311; *juniperinus* 378, 379; *kamchaticus* 378; *lacustris* 315; var. *terrestris* 316; *lapponicus* 385; *laxicaulis* 299, 308, 309; var. **mississippiensis** 309; *lemmonii* 302; *limosus* 313; *lobbii* 380; *longirostris* 380, 385; *microlonchus* 305; *mississippiensis* 309; *missouriensis* 316; *nanus* 375; *natans* 311, 312; *neglectus* 376; *nuttallii* 376; *oblongifolius* 308–310; *obtusiusculus* 304; *orestris* 298, 303; *orthorhynchus* 145; *ovalis* 305; *pallasii* 385; *panthothrix* 383; *paucistamineus* var. *eradicatus* 383; *populago* 298, 299, 308; *porteri* 381, 382; *purshii* 313, 314; var. *dissectus* 313, 314; var. *geranioides* 313, 314; var. *humifusus* 314; var. *polymorphus* 315; var. *prolificus* 315; var. *radicans* 313, 314; var. *repens* 314; var. *schizanthus* 315; var. *terrestris* 313–315; subsp. *yukonensis* 314; *pusillus* 299, 309, 310; var. *angustifolius* 310; var. *denticulatus* 308; var. *lindheimeri* 309, 310; var. *muticus* 309, 310; var. *oblongifolius* 309; *ranunculinus* 376; *recurvatus* 374; *reptans* 306, 307; var. *filiformis* 306; var. *gormanii* 307; var. *intermedius* 306; var. *ovalis* 305; var. *samolifolius* 306; var. *strigulosus* 305; *rigidus* 385; *samolifolius* 306; *sceleratus* 311–313, 373; var. *eremogenes* 312; var. *longissimus* 313; var. *multifidus* 312, 313; *stagnatilis* 385; *stoloniferus* 307; *subrigidus* 381, 383, 385; *tener* 310; *terrestris* 307, 308; *testiculatus* 378; *texensis* 308, 309; *trachyspermus* 309, 310; var. *angustifolius* 310; var. *lindheimeri* 309; *trichophyllus* 380–382; var. *calvescens* 384; var. *eradicatus* 383; var. *hispidulus* 384; *tridentatus* var. *major* 375, 376; *unalaschensis* 305; *unguiculatus* 302; *usneoides* 385; *yukonensis* 314

REED, JOHN F., AND HENRY J. OOSTING: The establishment of a white birch community on cutover pulpwood land in northwestern Maine 647

REID, MARY ELIZABETH: Effect of variations in light intensity, length of photoperiod and availability of nitrogen upon accumulation of ascorbic acid in cowpea plants 204; Variations in ascorbic acid and dry matter content of cowpea plants at different times of day 522

Reinwardtia indica 335, 338

Relation between xylem thickenings in primary roots of *Vicia faba* seedlings and elongation, as shown by soft X-ray irradiation 221
Response of *Achras zapota* in latex yield to wounding by the ibidem method of tapping 553
Rhizopus nigricans 500, 592, 597, 612; *sexualis* 593
Rhodotorula sannei 12
Rhus copallina 284
Rhynchospora baldwinii 467, 568; *cephalantha* 467, 469; *corniculata* 287, 467, 469; *cymosa* 468; *dodecandra* 467; *elliottii* 467, 469; *fusca* 466, 469; *glomerata* 469; *gracilenta* 466, 467; *macrostachya* 467; *megalocarpa* 467; *microcarpa* 467; *miliacea* 467–469; *multiflora* 467, 469; *oligantha* 467; *paniculata* 467; *patula* 467; *pycnocarpa* 467; *semiplumosa* 467, 468; *torreyana* 466–468; *variflora* 468
Ribes prostratum 654; *sanguineum* 267
RICKETT, H. W., AND C. L. GILLY: Asa Gray's earliest botanical publications (1833–1836) 461
ROBERTSON, JOSEPH H., AND LLOYD WEAVER: A new tetraploid wheatgrass from Nevada 434
ROBBINS, WILLIAM J., AND ROBERTA MA: Specificity of pyridoxine for *Ceratostomella ulmi* 342; Vitamin deficiencies of *Ceratostomella* 184
ROBBINS, WILLIAM J., JUAN E. MACKINNON, AND ROBERTA MA: Vitamin deficiencies of *Trichophyton discoides* 309
Rooting of flowers in sterile culture 332
Roots, culture of isolated 130
Rotala ramosior 387; var. *dentifera* 395
Rubiaceae, A new genus of, from Mexico 438
Rubus allegheniensis 654; *idaeus* var. *aculeatissimus* 654
Ruellia rosea 333
Rufacer drummondii 285, 287

Sagina, Symmetry studies in 634; *apetala* 639; *ciliata* 639; *crassicaulis* 639; *decumbens* 639; var. *smithii* 639; *elliottii* 639; *glabra* 639; *linnaei* 639; *maritima* 639; *nivalis* 639; *nodosa* 639, 644; f. *laxa* 639; *occidentalis* 637, 639; *procumbens* 634–645; *subulata* 639
Salix capra 205; *lasiandra* 266; *longifolia* 287; *nigra* 287
Salvia columbariae 107, 111
Sambucus canadensis 284, 287; *nigra* 522; *racemosa* 654
SANSOME, EVA R., S. SATINA, AND A. F. BLAKESLEE: Disintegration of ovules in tetraploid-diploid and in incompatible species crosses in *Datura* 405
SATINA, S., EVA R. SANSOME, AND A. F. BLAKESLEE: Disintegration of ovules in tetraploid-diploid and in incompatible species crosses in *Datura* 405
Saxifraga bronchialis 430; *punctata* 430; *sarmentosa* 335; *tricuspidata* 430
Sclerotinia sclerotiorum 257–259
Sclerotium rolfsii 671, 672, 684–686, 690
SCHROEDER, R. A., AND WM. A. ALBRECHT: Plant nutrition and the hydrogen ion—III. Soil calcium and the oxalate content of spinach 561
Sciadotenia amazonica 157; *brachypoda* 158; *cayennensis* 157; *sagotiana* 157; *sprucei* 158
Secondary vascular tissues of the oaks indigenous to the United States—II. Types of tyloses and their distribution in *Erythrobalanus* and *Leucobalanus* 1; III. A comparative anatomical study of the wood of *Leucobalanus* and *Erythrobalanus* 115
Sedum adolphii 27; *alsinefolium* 27; *burnhamii* 31; *debile* 27, 42; *divergens* 27, 28, 42; *eastwoodiae* 39; *fusiforme* 27; *glanduliferum* 27, 33–35, 40–42; *hallii* 31; *heckneri* 39; *laxum* 29, 36, 38, 41; subsp. **heckneri** 36, 37, 39, 40; subsp. **latifolium** 36, 38, 40, 41; subsp. **perplexum** 36, 37, 39–41; subsp. **retusum** 36, 39–41; subsp. **typicum** 36–42; **moranii** 40; *obtusatum* 29–32, 43; subsp. **boreale** 30–33, 40, 41; subsp. **typicum** 30–32, 41, 42; var. *hallii* 31; *oreganum* 28; *oregonense* 29, 32, 35–37, 41, 42; *rubroglaucum* 31; *sanhedrinum* 39; *spathulifolium* 27, 30, 41, 42; *spectabile* 335; *ternatum* 136; *watsoni* 35
Securinega acicularis 456; *capensis* 457; *leucopyrus* 456; *virgata* 456; *virosa* 458
Sesban emerus 287
Setaria lutescens 387
Shrubs, dependence of annual plants on 100
Sida carpinifolia 287; *rhombifolia* 287; *spinosa* 287
Silene acaulis 430, 432
Simmondsia californica 132

SMITH, ALEXANDER H.: New and unusual *Cortinarii* from Michigan, with a key to the North American species of subgenus *Bulbopodium* 44
SMITH, G. F., AND H. KERSTEN: The relation between xylem thickenings in primary roots of *Vicia faba* seedlings and elongation, as shown by soft X-ray irradiation 221
SNOW, A. G., JR., AND P. R. BURKHOLDER: Thiamine in some common American trees 421
Solanum nigrum 287
Solidago multiradiata 432; var. *scopulorum* 431
Somatic chromosomes of *Aconitum noveboracense* and *A. uncinatum* 235
Sorbus americana 651
Species crosses in *Datura* 405
Specificity of pyridoxine for *Ceratostomella ulmi* 342
Spilanthes americana 287
Spinach, soil calcium and the oxalate content of 561–569
Sporelings of Lejeuneaceae 627
Sporobolus asper 463; *cryptandrus* 257; *vaginiflorus* 463
Sporodinia grandis 498, 592, 604, 608, 612, 613
Stachys recta subsp. *recta* 139
Stellaria media 635; *media neglecta* var. *typica* 635
Stem rot of tuberous begonia 92
Stephanomeria exigua 111
Sterculia diversifolia 132, 133
Stereum gausapatum 258–260, 569–571
Stictolejeunea kunziana 629, 630; *squamata* 629
Stipa canadensis 465; *speciosa* 105; *thurberiana* 434
Streptobacterium plantarum 349
Strophostyles helvola 287
Studies in antibiosis between bacteria and fungi—III. Inhibitory action of some Actinomycetes on various species of fungi in culture 257
Studies in the Crassulaceae—III. *Sedum*, subgenus *Gormania*, section *Eugormania* 27
Studies in the Ericales: A new name in blueberries 240
Studies on the embryo of *Hordeum sativum*—II. The growth of the embryo in culture 360
Stylogyne guatemalensis 398; **perpunctata** 398
Suaeda fruticosa 110
Suida 587
Supplementary notes on American Menispermaceae—II 156
Svida asperifolia 284, 287; *baileyi* 588; *californica* 589; *instolonea* 587; *interior* 588; *pubescens* 589; *stolonifera* 587; var. *flaviramea* 587; var. *riparia* 587; *torreyi* 589
Swainsonia galegifolia 335
Symmetry studies in *Sagina* 634
Symphoricarpos albus 267
Symplecocarpon flavifolium 393; **lucidum** 394; *multiflorum* 393, 394

Taenioma clevelandii 534, 537; *perpusillum* 534, 537
Talinum polyandrum 455
Taraxacum officinale 335, 336
Taxus baccata 204
Telitoxicum duckei 158; *inopinatum* 158; *krukovii* 158; *minutiflorum* 158
Tetracoccaster 457, 458
Tetracoccus capensis 456, 457; **fasciculatus** 455, 456; *dioicus* 456; *hallii* 457; *ilicifolius* 456–460
Tetradymia spinosa 105
Thiamine 11, 21, 184, 421, 509, 569, 669
Thiamine content of agar 11
Thiamine in some common American trees 421
Thiamine production by *Actinomyces viridochromogenus* 569
Thiazole 669–691
Three new cuscutas from western North America 541
Thuja occidentalis 647; *orientalis* 132; *plicata* 265, 273–275
Thyella tamnifolia 287
Tieghemella coerulea 502, 592, 598, 612
Tillaea erecta 107, 108
Tournefortia belizensis 399; *umbellata* 399
Trachelospermum difforme 287
Tradescantia paludosa 335–338
Trichilia moschata 393; **yucatanensis** 392, 393
Tricholoma acerbum 52
Trichophyton album 518, 519; *crateriforme* 519; *discoides* 21, 22, 23, 25, 26, 509–521; *gypseum* 519; *interdigitale* 519; *rosaceum* 519

Trientalis americana 655, 657, 658
Toxicodendron globosum 456
Triticum repens var. *glaucum* 465
Tsuga heterophylla 266–270, 273–275; *mertensiana* 266, 273–275
Tulipa gesneriana 338
Tussilago farfara 333
Typha latifolia 287
Ulmus americana 285, 287, 349

Umbelliferae, New combinations and new names in 244; New North American 151
Undescribed plants from Mexico and Central America 387
Urachne canadensis 465

Vaccinium darrowi 240; *myrsinites* 240; var. *glaucum* 240; *pennsylvanicum* 654, 657
Variations in ascorbic acid and dry matter content of cowpea plants at different times of day 522
Vegetational studies in areas of sedimentation in the Bonnet Carré floodway 281
Verbena bonariensis 287
Verbesina alba 287
Viburnum alnifolium 654; *carlesii* 335
Vicia faba 221–233
Vilfa heterolepis 468; *longifolia* 463; *serotina* 463; *vaginiflora* 463
Vinca rosea 335
Viola rotundifolia 655
Vitamin deficiencies of *Ceratostomella* 184; of *Trichophyton discoides* 509
Vitamins 11, 21, 184, 204, 342, 421, 509, 522, 569, 669
VIVIAN, V. EUGENE: Symmetry studies in *Sagina* 634
Volvocales 661

WEAVER, LLOYD, AND JOSEPH H. ROBERTSON: A new tetraploid wheatgrass from Nevada 434
WENT, F. W.: The dependence of certain annual plants on shrubs in Southern California deserts 100
WILLIAMS, SIMON: Secondary vascular tissues of the oaks indigenous to the United States—II. Types of tyloses and their distribution in *Erythrobalanus* and *Leucobalanus* 1; III. A comparative anatomical study of the wood of *Leucobalanus* and *Erythrobalanus* 115
Wisteria sinensis 132, 133
Wyethia amplexicaulis 149; *elata* 137; *reticulata* 137

Xanthoxalis micrantha 281
Xylem thickening 221

Yucca brevifolia 105
YUNCKER, T. G.: Three new cuscutas from western North America 541

Zebrina pendula 335
Zygopetalum mackayi 168
Zygorhynchus dangeardi 480, 492, 494–498, 610–612; *macrocarpus* 494; *moelleri* 480, 494–496; *vuilleminii* 480, 496–499, 612; var. *agamus* 480, 496, 509, 612